


**WORLD DATA CENTER A  
for  
Solar-Terrestrial Physics**



**THE EQUATORIAL LATITUDE  
OF  
AURORAL ACTIVITY DURING 1972-1977**



October 1980

WORLD DATA CENTER A  
National Academy of Sciences  
2101 Constitution Avenue, N.W.  
Washington, D.C., U.S.A., 20418

World Data Center A consists of the Coordination Office

and seven Subcenters:

World Data Center A  
Coordination Office  
National Academy of Sciences  
2101 Constitution Avenue, N.W.  
Washington, D.C., U.S.A., 20418  
[Telephone: (202) 389-6478]

*Glaciology [Snow and Ice]:*

World Data Center A: Glaciology  
[Snow and Ice]  
Inst. of Arctic & Alpine Research  
University of Colorado  
Boulder, Colorado, U.S.A. 80309  
[Telephone: (303) 492-5171]

*Meteorology (and Nuclear Radiation):*

World Data Center A: Meteorology  
National Climatic Center  
Federal Building  
Asheville, North Carolina, U.S.A. 28801  
[Telephone: (704) 258-2850]

*Oceanography:*

World Data Center A: Oceanography  
National Oceanic and Atmospheric  
Administration  
Washington, D.C., U.S.A. 20235  
[Telephone: (202) 634-7249]

*Rockets and Satellites:*

World Data Center A: Rockets and  
Satellites  
Goddard Space Flight Center  
Code 601  
Greenbelt, Maryland, U.S.A. 20771  
[Telephone: (301) 344-6695]

*Rotation of the Earth:*

World Data Center A: Rotation  
of the Earth  
U.S. Naval Observatory  
Washington, D.C., U.S.A. 20390  
[Telephone: (202) 254-4023]

*Solar-Terrestrial Physics (Solar and  
Interplanetary Phenomena, Ionospheric  
Phenomena, Flare-Associated Events,  
Geomagnetic Variations, Magnetospheric  
and Interplanetary Magnetic Phenomena,  
Aurora, Cosmic Rays, Airglow):*

World Data Center A  
for Solar-Terrestrial Physics  
Environmental Data and Information  
Service, NOAA  
Boulder, Colorado, U.S.A. 80303  
[Telephone: (303) 499-1000, Ext. 6467]


*Solid-Earth Geophysics (Seismology,  
Tsunamis, Gravimetry, Earth Tides,  
Recent Movements of the Earth's  
Crust, Magnetic Measurements,  
Paleomagnetism and Archeomagnetism,  
Volcanology, Geothermics):*

World Data Center A  
for Solid-Earth Geophysics  
Environmental Data and Information  
Service, NOAA  
Boulder, Colorado, U.S.A. 80303  
[Telephone: (303) 499-1000, Ext. 6521]

NOTES:

1. World Data Centers conduct international exchange of geophysical observations in accordance with the principles set forth by the International Council of Scientific Unions. WDC-A is established in the United States under the auspices of the National Academy of Sciences.
2. Communications regarding data interchange matters in general and World Data Center A as a whole should be addressed to: World Data Center A, Coordination Office (see address above).
3. Inquiries and communications concerning data in specific disciplines should be addressed to the appropriate subcenter listed above.

# **WORLD DATA CENTER A for Solar-Terrestrial Physics**



**REPORT UAG-78**

## **THE EQUATORIAL LATITUDE OF AURORAL ACTIVITY DURING 1972-1977**


**by**

**N.R. Sheeley, Jr. and R.A. Howard  
E.O. Hulbert Center for Space Research  
US Naval Research Laboratory Washington, DC 20375**

**and**

**B.S. Dandekar  
Air Force Geophysics Laboratory  
Hanscom AFB, MA 01731**


**October 1980**



**Published by World Data Center A for  
Solar-Terrestrial Physics, NOAA, Boulder, Colorado  
and printed by**

**U.S. DEPARTMENT OF COMMERCE  
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION  
ENVIRONMENTAL DATA AND INFORMATION SERVICE  
Boulder, Colorado, USA 80303**

**SUBSCRIPTION PRICE: \$25.20 a year; \$17.30 additional for foreign mailing; single copy price varies.\*  
Checks and money orders should be made payable to the Department of Commerce, NOAA/NGSDC.  
Remittance and correspondence regarding subscriptions should be sent to the National Geophysical and  
Solar-Terrestrial Data Center, NOAA, Boulder, CO 80303.**



## CONTENTS


	Page
Introduction . . . . .	1
Data Reduction Techniques. . . . .	1
Temporal Plots of Equatorwardmost Invariant Latitude . . . . .	2
Daily Index of Equatorwardmost Auroral Latitude. . . . .	6
Acknowledgments. . . . .	6
References . . . . .	8

## Tables

Table 1. Observations with $\Delta < 45^\circ$ . . . . .	3
Table 2. Observations with $45^\circ < \Delta < 50^\circ$ . . . . .	4
Table 3. Observations with $50^\circ < \Delta < 55^\circ$ . . . . .	5

## Appendices

Appendix A: DMSP Electron Data. . . . .	10
Appendix B: DMSP Optical Data . . . . .	24
Appendix C: DMSP Electron and Optical Data. . . . .	43



OPTICAL AND ELECTRON MEASUREMENTS OF THE EQUATORIAL AURORAL  
BOUNDARIES DURING 1972-1977

N. R. Sheeley, Jr. and R. A. Howard  
E. O. Hulbert Center for Space Research  
U.S. Naval Research Laboratory  
Washington, D.C. 20375

and

B. S. Dandekar  
Air Force Geophysics Laboratory  
Hanscom AFB, Mass. 01731

ABSTRACT

The equatorial latitude of auroral activity has been derived from both electron and optical observations with the DMSP satellites. Essentially all of these observations have been used to produce a nearly continuous plot of invariant geomagnetic latitude versus time during the 5-year interval June 1972 - September 1977. This plot has two main characteristics: (1) a diurnal variation of approximately  $\pm 5^\circ$  which is somehow associated with the precession of the Earth's magnetic dipole axis about the Earth's rotation axis and (2) an irregular variation of roughly  $5\text{--}10^\circ$  for intervals of one to several days associated with the occurrence of solar flares and coronal holes. With the help of a condensed, Bartels-type display of these measurements, we conclude that (1) modest auroral expansions ( $\Delta \sim 60^\circ$ ) occur during the main body of high-speed streams from coronal holes and (2) great expansions ( $\Delta < 55^\circ$ ) occur only during intervals of intense interplanetary magnetic fields, such as may occur at the leading edge of a high-speed stream or at a flare-produced interplanetary shock.

Introduction

Using solar, interplanetary, and geomagnetic observations during the declining phase (1972-1976) of sunspot cycle 20, several workers found a high degree of correlation between the occurrence of coronal holes, solar wind high-speed streams, and recurrent geomagnetic disturbances [cf. Bell and Noci, 1976; Neupert and Pizzo, 1974; Nolte et al., 1976; Sheeley et al., 1976]. Later, Sheeley [1978] used auroral observations obtained in the U.S. Air Force Defense Meteorological Satellite Program (DMSP) during 1973-1974 to compare the variations of auroral latitude with the occurrences of coronal holes and solar flares during the Skylab era. The transits of low-latitude coronal holes across the solar disk were accompanied by expansions of the Earth's auroral ovals to invariant latitudes that were often less than  $60^\circ$ . Comparable, flare-induced expansions were rare during the Skylab era, but a few major events with expansions to  $53^\circ$  latitude did occur in 1972.

Subsequently, in 1978 we decided to analyze all of the DMSP auroral observations that were then available. These data consisted of both electron and optical observations for both Northern and Southern Hemispheres of the Earth during the interval June 1972-September 1977. The measurements of equatorwardmost auroral positions were transformed from geographic coordinates to invariant geomagnetic latitude and plotted versus time in 27-day segments for comparison with solar phenomena.

The optical and electron observations are plotted both separately and together. Sheeley and Howard [1980] were interested primarily in the correlation of oval size with the occurrence of solar phenomena so they used the combined data set to increase their statistical sample. Dandekar [1979] has analyzed these DMSP optical observations for the dependence of the equatorial edge of the auroral oval on the magnetic activity indices  $K_p$  and  $Q$ . However, to benefit researchers with other interests, we have included large-scale plots of both the separated and the combined data in this report.

Data Reduction Techniques

As described elsewhere [Sheeley, 1978; Sheeley and Howard, 1980], the measurements of equatorwardmost auroral latitude were derived from the Air Force DMSP auroral analysis records. These records contained the geographic coordinates of the equatorial boundary of the auroral activity as a function of time on an orbit-by-orbit time scale. We simply transformed from geographic coordinates to invariant geomagnetic coordinates using the published maps of Evans et al. [1969] for the 100-km level. In practice, we approximated these maps by a closed-form algebraic expression which gave invariant geomagnetic latitude with an accuracy of  $\pm 1^\circ$ . Dandekar [1979] has discussed the nature and limitations of these DMSP optical data.

We obtained the auroral analysis records in several sections. The largest section was transformed to magnetic tape at the Air Force Geophysical Laboratory (AFGL). However, this section did not include a 6-month interval during the first half of 1973 as well as several other smaller intervals during the subsequent four years. We obtained the 6-month section in tabular form on microfilms made available by the USAF Air Weather

Service through the NOAA National Geophysical and Solar-Terrestrial Data Center (NGSDC). Most of the smaller sections were also supplied in tabular form by the NOAA NGSDC courtesy of H. W. Kroehl. These tabular data were punched onto cards and transferred to magnetic tape for processing with the large section of data from AFGL.

Despite our attempts to be complete, several sections of data are still missing. Some sections seem to have been lost or loaned to individual users and long forgotten. (The January 1973 optical data fall in this category because published images during this interval can be found in the literature [cf. Akasofu, 1974]). Other sections include times when electron observations or optical observations (or both) were not obtained. Of course, during each solstice optical data were not obtained in the Earth's summer hemisphere.

#### Temporal Plots of Equatorwardmost Invariant Latitude

This part of the report contains plots of the equatorwardmost latitude of auroral activity on an orbit-by-orbit time scale. The optical measurements begin in June 1972 and extend (with some interruptions) through September 1977. The electron measurements begin in August 1973 and also extend through September 1977. Invariant geomagnetic latitude,  $\Lambda$ , is plotted versus time in 27-day segments for comparison with solar phenomena. Optical data in the Northern and Southern Hemisphere are indicated by the letters N and S, respectively, in Appendix B. Electron data are indicated by the letters A (north) and B (south) in Appendix A. In the combined data, the points often overlap so much that the letters cannot be distinguished (Appendix C). Sheeley and Howard [1980] regarded this overlap as evidence that either kind of auroral data can be used for comparison with solar phenomena.

Our plotting technique suffers from two drawbacks. The first drawback is a systematic error that was not discovered until all the data had been plotted. Namely, each point was plotted approximately  $1.4^\circ$  higher in latitude than it should have been. Consequently, this relatively small correction of  $1.4^\circ$  must be subtracted from each plotted  $\Lambda$ -value in order to obtain the correct invariant geomagnetic latitude (which itself has been derived with an accuracy of  $\pm 1^\circ$ .)

The second drawback is that the plot "saturates" for values of  $\Lambda$  less than  $55^\circ$ . Coupled with the first drawback, this means that whenever we obtained a value of  $\Lambda$  that was less than  $55^\circ$ , we arbitrarily plotted that point at the latitude of  $56.4^\circ$ . Thus, in the September 14, 1974 Bartels rotation (electron data) some of the points at  $56.4^\circ$  probably had values less than  $55^\circ$ . For example, the "saturated" points on September 15-16 may correspond to relatively great expansions of the auroral ovals. However, the other "saturated" points in this Bartels rotation probably indicate measurement errors because each one is widely separated from the remaining points on the same day. (We estimate that roughly 1-2% of all the measurements are incorrect due to a combination of human errors in the various stages of observation and reduction of the data. Based on 30,000 total data points, this amounts to 300-600 total errors or roughly 5-10 errors per Bartels rotation.)

When such "saturated" points are real, they are of particular interest because they are often associated with exceptional interplanetary conditions. Consequently, for completeness we have tabulated all of these "saturated" points despite the high probability that many of them are measurement errors. They are summarized in Tables 1, 2, and 3 according to whether the calculated value of  $\Lambda$  was in the range  $0-45^\circ$ ,  $45-50^\circ$ , or  $50-55^\circ$ , respectively. In these tables, the symbol E refers to electron observations.

In their highly compressed 27-day format, the  $\Lambda$ -plots seem rather noisy. Short-term variations of approximately  $\pm 5^\circ$  are always superimposed on the long-term variations of latitude regardless of the season of the year or the interplanetary conditions. In fact, during each 27-day interval the plot appears as a  $10^\circ$ -wide band that weaves back and forth between the  $55^\circ$  and  $75^\circ$  latitude extremes.

Whereas the longer-term meandering undoubtedly indicates real expansions and contractions of the sizes of the auroral ovals in response to changing interplanetary conditions, the amplitude of the diurnal variation is much too large to be real. Indeed, a  $10^\circ$  increase in the radius of an oval would be comparable to the expansion that is typically associated with a large magnetic storm [cf. Feldstein, and Starkov, 1967]. Thus, Sheeley and Howard [1980] assumed that the diurnal variation is mainly an "eccentricity" effect caused by the misalignment of the Earth's magnetic dipole and rotation axes, and by the consequent sampling of different parts of the ovals at different local times.

It is instructive to consider the diurnal variation briefly despite its probable sampling origin. The variation is particularly clear in the separate plots of electron and optical data. In the electron observations (both hemispheres included, but not distinguished), the phase of this variation seems to remain essentially unchanged throughout the interval August 1973-September 1977 independent of the season. On each day,  $\Lambda$  tends to reach its maximum value at  $0700 \pm 0200$  UT and its minimum value at  $1900 \pm 0200$  UT. The optical observations show essentially this same phase during November-February when Northern Hemisphere data are available. Figure 6 of the paper by Sheeley [1978] illustrates this variation on an expanded time scale.

The optical observations show a different behavior during May-August when Southern Hemisphere data are available. In these measurements, there is a tendency for  $\Lambda$  to reach its maximum value a few hours after noon and its minimum value a few hours after midnight universal time. However, this tendency is present only about half of the time. On the remaining days, the points are either widely scattered or distributed nearly vertically in the  $\Lambda$ -plots.

Table 1. Observations with  $\Delta < 45^\circ$ 

Date	Time	Lat	Long	$\Delta$
72 8 16	1644	-53.1	295	37.3
72 11 1	1802	44.7	14	40.9
72 11 4	1649	41.6	67	37.1
73 2 9	1612	45.3	76	40.8
73 3 12	1537	-50.7	240	42.1
73 4 13	0428	-58.0	297	42.1
73 4 30	1536	-52.5	238	44.2
73 4 30	1718	-51.5	263	38.7
73 5 1	1522	-56.6	304	40.6
73 5 6	1915	-58.3	303	42.3
73 5 18	0034	-50.8	284	35.7
73 5 18	2224	23.0	79	20.4
73 5 23	0805	-55.0	250	44.2
73 5 27	2202	-59.9	326	44.6
73 6 12	1009	-52.8	242	43.7
73 6 20	0323	-58.1	294	42.3
73 8 1	1648	-52.5	250	41.8
73 8 25	1505	45.7	63	40.8 E
74 9 20	2002	-14.6	342	16.4 E
74 10 26	0624	49.3	86	44.7
75 6 16	0925	-49.7	226	44.4
75 7 8	1006	-52.3	238	44.2
75 8 12	1001	-59.0	296	43.1
76 5 7	0346	-1.4	245	6.3
76 5 15	0140	-58.2	278	43.5 E
76 7 7	1517	2.0	88	2.0 E
76 10 17	0832	46.5	191	43.5
76 11 1	0110	46.4	82	42.0 E
77 9 12	0552	-51.0	274	36.8
77 9 23	1700	43.2	35	38.0 E
77 9 23	2356	42.5	203	41.5 E

Table 2. Observations with  $45^\circ < \Delta < 50^\circ$ 

Date	Time	Lat	Long	$\Delta$	Date	Time	Lat	Long	$\Delta$
72 9 16	0919	-65.3	306	49.3	75 2 14	0731	53.5	98	48.6
72 10 14	1056	-43.2	193	47.2	75 2 15	0529	50.0	71	45.1
72 10 14	1242	51.9	164	46.8	75 2 15	0712	52.2	95	47.4
72 10 18	1144	-37.4	171	47.4	75 2 16	0512	53.1	64	47.8
72 10 28	0846	54.3	145	48.9	75 2 16	0654	51.5	90	46.8
72 11 19	1408	51.3	146	46.0	75 3 1	0615	52.2	80	47.3
72 11 29	0151	53.9	122	48.8	75 3 2	0556	51.3	75	46.6
72 11 30	1453	54.5	162	49.4	75 3 3	0537	54.1	69	48.8
72 11 30	1634	54.0	137	48.7	75 3 3	0718	54.3	93	49.3
72 12 5	1401	49.9	86	45.3	75 3 16	0458	53.3	60	48.0
73 3 8	1635	53.0	105	48.1	75 3 17	0440	53.0	55	47.7
73 3 21	1648	49.8	104	45.3	75 3 17	0622	50.8	82	46.0
73 4 29	1738	50.0	91	45.4	75 4 30	0936	-59.0	243	49.4
73 6 17	0854	-53.2	223	48.3	75 7 30	0358	-51.5	214	49.1
73 6 18	1033	-63.2	296	47.3	75 8 28	1126	-53.6	236	45.7
73 6 29	0737	50.6	156	45.3	75 8 30	1049	51.5	134	46.3 E
73 6 29	1618	53.5	110	48.6	75 9 9	1100	-49.0	11	49.1 E
73 7 1	1713	53.0	91	48.1	75 10 14	1757	51.1	29	46.3 E
73 7 3	0835	-64.7	-54	48.7	75 12 10	1728	52.4	36	47.3 E
73 8 23	0645	-61.4	343	48.7 E	76 1 9	1914	53.0	11	49.8 E
73 9 21	1433	-51.1	226	45.8	76 1 9	1948	-64.3	332	49.5 E
74 10 12	0725	52.7	99	47.9	76 1 9	2130	-65.8	305	49.8 E
74 11 10	0131	52.8	85	47.9	76 1 17	1054	53.9	112	48.9 E
74 11 10	0507	52.3	65	47.1	76 3 26	1618	55.4	57	50.0 E
74 11 10	0648	51.7	91	47.0	76 4 5	1922	-59.9	343	47.5 E
74 11 11	0448	54.4	59	49.0	76 4 5	2105	-65.8	312	49.9 E
74 11 11	0630	52.4	86	47.5	76 4 6	1906	-59.7	347	48.5 E
74 11 20	0039	51.9	72	46.8	76 4 7	1906	-58.6	347	47.9 E
74 11 22	0147	53.8	89	48.8	76 4 8	2019	-65.2	324	49.7 E
74 12 10	0416	54.7	51	49.3	76 4 9	1818	-54.7	1	49.6 E
74 12 10	0559	50.7	78	45.9	76 4 18	1925	-63.2	340	49.4 E
74 12 11	0549	50.4	74	45.5	76 4 19	1908	-60.6	346	48.9 E
74 12 12	0522	51.2	69	46.1	76 4 20	1852	-59.3	350	49.4 E
75 1 9	0508	52.0	64	46.8	76 4 22	1820	-54.4	1	49.4 E
75 1 9	0650	52.8	85	47.9	76 7 9	0424	-58.4	237	49.9 E
75 1 10	0631	53.8	84	48.8	77 2 13	0340	-57.1	248	46.6 E
75 2 2	0017	51.1	78	46.2 E	77 2 25	0934	54.1	134	48.8 E

Table 3. Observations with  $50^\circ < \lambda < 55^\circ$ 

Date	Time	Lat	Long	$\Lambda$	Date	Time	Lat	Long	$\Lambda$	Date	Time	Lat	Long	$\Lambda$	
72	7 3 1207	-58.2	10	54.0	74	9 26	1659	-53.3	18	76	1 9	1731	57.2	36	
72	8 5 0231	-69.1	303	53.1	74	9 27	1643	-52.8	22	76	1 9	2058	48.7	344	
72	8 11 0427	-69.6	274	55.0	74	10 13	2030	-57.9	65	76	1 9	2240	46.9	318	
72	8 20 0033	58.0	112	52.6	74	10 14	1728	-58.2	8	76	1 9	2316	-68.5	277	
72	8 26 0415	-69.6	278	54.7	74	10 15	0018	-67.0	259	76	1 10	0054	-66.1	254	
72	8 26 0551	-64.8	258	52.3	74	10 16	1108	58.0	153	76	1 10	1942	55.4	4	
72	9 1 0932	-66.3	257	53.8	74	10 16	1613	58.8	139	76	1 26	1436	55.8	83	
72	9 17 0543	-66.7	259	53.8	74	10 16	2259	57.3	28	76	3 26	1942	54.7	6	
72	9 18 0956	50.2	226	54.3	74	10 20	1921	-64.8	335	76	4 2	0311	-59.8	225	
72	9 21 0733	55.3	94	50.2	74	10 20	2209	58.7	32	76	4 2	1642	-50.1	27	
72	10 13 0535	52.7	193	50.1	74	10 20	2246	-69.5	279	76	4 2	1752	59.9	36	
72	11 1 0917	49.1	233	54.9	74	10 20	2351	55.9	59	76	4 2	2010	-67.0	324	
72	11 9 0915	58.1	49	52.7	76	10 21	1721	-56.3	11	76	4 3	0908	58.8	166	
72	12 4 0818	56.4	79	51.1	76	10 21	1921	-56.3	11	76	4 3	1942	52.3	E	
72	12 22 1437	-50.5	35	54.8	76	10 21	2049	-70.2	307	76	4 3	2137	-68.9	301	
73	1 3 1613	60.0	137	54.7	74	10 21	2335	59.6	52	76	4 3	2319	-68.4	276	
73	1 7 1034	57.4	192	54.9	74	10 24	0302	-59.4	224	76	4 4	0100	-66.1	253	
73	3 8 1452	56.5	133	51.1	74	10 26	0151	56.5	56	76	4 4	0240	-62.4	231	
73	3 18 1843	60.0	99	54.4	74	10 26	1258	57.8	30	76	4 4	1754	-54.0	8	
73	3 31 1716	54.0	193	51.6	74	10 21	0104	59.3	75	76	4 4	2121	-67.8	306	
73	4 1 1913	-45.5	69	53.2	74	11 10	0324	57.9	37	76	4 5	1737	-51.6	13	
73	4 29 1408	-50.0	192	54.0	74	11 11	1954	55.3	1	76	4 6	1539	-47.2	44	
73	5 14 0114	60.7	68	55.0	74	11 19	2256	58.2	43	76	4 7	1539	-46.5	44	
73	5 14 0206	-62.5	233	54.5	74	11 21	0203	59.2	89	76	4 7	1721	-50.1	18	
73	5 14 1032	57.5	129	52.0	74	11 21	1937	-67.1	329	76	4 9	2327	-66.3	276	
73	5 16 0153	55.4	86	50.2	74	11 22	2223	58.3	35	76	4 11	1612	-48.5	35	
73	5 16 2355	58.8	118	53.3	74	11 21	0005	56.0	62	76	4 11	1756	-54.3	7	
73	5 21 0130	51.9	207	51.8	74	12 5	1740	-56.4	7	76	4 12	1740	-52.8	12	
73	5 21 0903	-70.8	302	54.8	74	12 11	0357	55.7	46	76	4 12	1721	-50.1	18	
73	6 6 0815	-36.7	144	51.6	75	1 10	0447	58.8	55	76	4 13	1541	-48.2	43	
73	6 8 1200	57.0	26	52.5	75	2 14	0406	56.7	46	76	4 13	2052	-67.3	341	
73	7 6 0649	-68.6	336	54.0	75	2 15	0547	59.3	70	76	4 14	20	1636	-48.1	30
73	7 29 0400	-69.0	283	53.7	75	2 16	0347	58.7	41	76	5 1	0552	-43.4	183	
73	8 6 0322	-68.3	308	52.3	75	2 16	0329	56.7	36	76	5 1	0552	-43.4	183	
73	8 26 0601	-64.3	351	53.4	75	3 2	0736	55.6	99	76	5 3	0400	-65.0	258	
73	11 16 1214	59.8	158	54.5	75	3 7	1502	56.0	102	76	5 3	0221	-62.2	235	
74	4 18 0508	-69.0	291	53.3	75	3 10	2133	50.2	334	76	5 3	0221	-58.9	219	
74	4 19 1529	-46.9	67	54.5	75	3 12	0249	55.8	26	76	5 3	0338	-56.8	87	
74	4 25 0802	57.3	220	52.9	75	3 18	0420	56.5	49	76	5 3	0609	-53.0	206	
74	5 16 0636	-62.4	239	53.2	75	3 18	2005	-70.1	320	76	5 4	0609	-53.0	206	
74	5 17 0937	-51.0	200	52.6	75	7 29	0410	-52.0	212	76	5 5	1423	-46.7	64	
74	6 11 1205	-52.0	196	54.6	75	9 9	1244	58.7	79	76	11 10	0647	56.2	174	
74	7 10 0951	-53.0	200	54.4	75	11 2	1949	55.0	3	76	12 10	0044	-62.9	261	
74	8 20 0723	-65.0	245	54.5	75	11 4	1231	55.2	113	76	12 23	0021	57.9	61	
74	9 16 0057	-65.6	250	54.1	75	11 9	1653	60.0	48	76	12 23	0203	56.8	87	
74	9 18 1721	-55.9	11	53.2	75	11 22	1636	59.6	54	76	12 29	1423	-46.7	64	
74	9 18 2048	-69.1	309	53.1	75	11 22	1740	58.8	36	77	4 6	1719	58.4	44	
74	9 20 1650	-54.3	20	54.3	75	11 22	1818	56.6	27	77	8 1	2347	41.0	292	
74	9 21 1633	-51.7	25	53.9	75	11 22	2000	55.0	1	77	8 28	2019	-69.7	312	
74	9 22 1618	-51.7	29	54.6	75	11 24	1807	-63.7	358	75	9 26	2031	-69.8	286	
74	9 24 1730	-55.8	9	52.5	E	75	12 2	0155	51.9	207	75	9 26	2031	-70.8	308

## A Daily Index of Equatorwardmost Auroral Latitude

Sheeley and Howard [1980] summarized all of the  $\Delta$ -measurements on a daily basis to facilitate their comparison with solar phenomena such as coronal holes and solar flares. For completeness, we have reproduced their summary here. A "J-index" of daily minimum  $\Delta$  was constructed as follows: First, for each day, the minimum latitude for the electron data and the minimum latitude for the optical data were identified. Then, to reduce the possible influence of sporadic data points, these two values were averaged. When only one kind of data was available the minimum latitude for that kind was used. Finally, an index on a scale of 0 to 7 was assigned depending on the location of this latitude,  $\langle \Delta_{\text{min}} \rangle$ , within one of the following 2.5°-latitude ranges:

$\langle \Delta_{\text{min}} \rangle$	J
72.5-75.0	0
70.0-72.5	1
67.5-70.0	2
65.0-67.5	3
62.5-65.0	4
60.0-62.5	5
57.5-60.0	6
55.0-57.5	7


Also, J=7 was used whenever  $\langle \Delta_{\text{min}} \rangle$  was less than 55°. (This "saturation" of the J-index was determined after  $\langle \Delta_{\text{min}} \rangle$  had been calculated from individual latitudes, one or both of which may have been less than 55°.)

The J-index is compared with the C9 index of geomagnetic activity in a 27-day Bartels-type format during the interval June 1972-September 1977. In the J-index format, blank spaces without entries correspond to days for which auroral latitude measurements were not available. The agreement is only fair considering the fact that the electric currents in the auroral ovals are supposed to be the source of the fluctuations of the geomagnetic field and vice versa [cf. Banks and Doupinik, 1975]. Some sporadic discrepancies were caused by errors in the measurement of auroral latitudes and their transposition from the  $\Delta$ -plots to the J-index. See Fig. 1. Other discrepancies may have resulted from the paucity of observations during specific time intervals.

On the other hand, each display shows the same long-lived recurrence patterns that are associated with coronal holes and high-speed solar wind streams [cf. Sheeley and Harvey, 1980]. Typically, C9 indices in the range 5-7 correspond to J indices that are also in the range 5-7 ( $\Delta$  in the range 55.0° - 62.5°). This relation seems to have been characteristic of the auroral expansions that were associated with high-speed streams from coronal holes during 1973-1977. As Sheeley and Howard [1980] have discussed in detail, auroral expansions below 55° occurred only during intervals of intense interplanetary magnetic field strength such as were present occasionally at the leading edge of a high-speed stream or at a flare-produced interplanetary shock. The reader is referred to the papers by Sheeley [1978] and Sheeley and Howard [1980] for a more detailed discussion of these observations and their relation to solar phenomena.

## Acknowledgments

The DMSP auroral imagery and analysis records were made available by the USAF Air Weather Service through the National Geophysical and Solar-Terrestrial Data Center, NOAA, Boulder, Colorado. Also we thank the Space Environment Support Branch of the Air Force Global Weather Central, Offutt AFB, Nebraska for providing the DMSP satellite data. We are also grateful to H. W. Kroehl (NOAA) and C. -I. Meng (JHU/APL) for useful discussions and to D. J. Michels (NRL) for loaning us copies of the 1973-1974 auroral observations that he had purchased from NOAA. Financial support at NRL was obtained from NASA DPR W-14, 429. Finally, we are grateful to the staff of the World Data Center A for Solar-Terrestrial Physics for both encouraging this work and for publishing this final report.



**Figure 1.** Comparison of 27-day Bartels displays of an index of lowest daily auroral latitude (left) and the daily geomagnetic index C9 (right). Patterns of enhanced geomagnetic activity ( $C9=5-7$ ) correspond to patterns of low-latitude auroras ( $J=5-7$  or  $\Delta=55.0-62.5^\circ$ ).

References


- AKASOFU, S.-I. 1974 "A Study of Auroral Displays Photographed From the DMSP-2 Satellite and From the Alaska Meridian Chain of Stations," Space Sci. Rev., 16, 617-725.
- BELL, B. and J. NOCI 1976 "Intensity of the FeXV Emission Line Corona, the Level of Geomagnetic Activity, and the Velocity of the Solar Wind," J. Geophys. Res., 81, 4508-4516.
- DANDEKAR, B.S. 1979 "Study of the Equatorial Edge of the Auroral Oval from Satellite Observations" (Report AFGL-TR-79-0010, Air Force Geophysics Laboratory, Hanscom AFB, Massachusetts 01731).
- EVANS, J.E., L.L. NEWKIRK and B.M. MC CORMAC 1969 "North Polar, South Polar, World Maps and Tables of Invariant Magnetic Coordinates for Six Altitudes: 0, 100, 300, 600, 1000, and 3000 km," (Report No. DASA 2347, Lockheed Research Laboratory, Palo Alto, California).
- FELDSTEIN, Y.I. and G.V. STARKOV 1967 "Dynamics of Auroral Belt and Polar Geomagnetic Disturbances," Planet. Space Sci., 15, 209-229.
- NEUPERT, W.M. and V. PIZZO 1974 "Solar Coronal Holes as Sources of Recurrent Geomagnetic Disturbances," J. Geophys. Res. 79, 3701-3709.
- NOLTE, J.T., A.S. KRIEGER, A.F. TIMOTHY, J.S. VAIANA, and M.V. ZOMBECK 1976 "An Atlas of Coronal Hole Boundary Positions May 28 to November 21, 1973," Solar Phys. 46, 291-301.
- SHEELEY, JR., N.R. 1976 "Coronal Holes, Solar Wind Streams, and Recurrent Geomagnetic Disturbances: 1973-1976," Solar Phys., 49, 271-278.
- SHEELEY, JR., N.R. 1978 "The Equatorward Extent of Auroral Activity During 1973-1974," Solar Phys., 58, 405-422.
- SHEELEY, JR., N.R. and R.A. HOWARD 1980 Solar Phys. (in press)

APPENDIX


Equatorial Latitude of Auroral Activity, 1972-77

The temporal variation of the equatorial latitude of the auroral ovals during the interval June 1972 - September 1977. The measurements are presented in 27-day Bartels segments the first day of which is indicated on the left. The vertical scale indicates invariant geomagnetic latitude. Optical measurements are indicated by the letters N (north) and S (south), and electron measurements are indicated by the letters A (north) and B (south). Each point has been plotted approximately  $1.4^{\circ}$  higher in latitude than it should have been, and the plotter saturated at latitudes less than  $55^{\circ}$  (see page 2 of text).


### Appendix A: DMSP Electron Data




Appendix A: DMSP Electron Data




Appendix A: DMSP Electron Data




Appendix A: DMSP Electron Data




Appendix A: DMSP Electron Data




Appendix A: DMSP Electron Data




### Appendix A: DMSP Electron Data




Appendix A: DMSP Electron Data




### Appendix A: DMSP Electron Data




Appendix A: DMSP Electron Data




Appendix A: DMSP Electron Data




Appendix A: DMSP Electron Data




### Appendix A: DMSP Electron Data




Appendix A: DMSP Electron Data




### Appendix B: DMSP Optical Data




### Appendix B: DMSP Optical Data




## Appendix B: DMSP Optical Data




## Appendix B: DMSP Optical Data




Appendix B: DMSP Optical Data




Appendix B: DMSP Optical Data




### Appendix B: DMSP Optical Data




### Appendix B: DMSP Optical Data




Appendix B: DMSP Optical Data




Appendix B: DMSP Optical Data




### Appendix B: DMSP Optical Data




### Appendix B: DMSP Optical Data




## Appendix B: DMSP Optical Data




## Appendix B: DMSP Optical Data




### Appendix B: DMSP Optical Data




### Appendix B: DMSP Optical Data




## Appendix B: DMSP Optical Data




## Appendix B: DMSP Optical Data




### Appendix B: DMSP Optical Data




### Appendix C: DMSP Electron and Optical Data




### Appendix C: DMSP Electron and Optical Data




### Appendix C: DMSP Electron and Optical Data




### Appendix C: DMSP Electron and Optical Data




### Appendix C: DMSP Electron and Optical Data




### Appendix C: DMSP Electron and Optical Data




### Appendix C: DMSP Electron and Optical Data




### Appendix C: DMSP Electron and Optical Data




Appendix C: DMSP Electron and Optical Data




### Appendix C: DMSP Electron and Optical Data




### Appendix C: DMSP Electron and Optical Data




### Appendix C: DMSP Electron and Optical Data




Appendix C: DMSP Electron and Optical Data




### Appendix C: DMSP Electron and Optical Data




### Appendix C: DMSP Electron and Optical Data




### Appendix C: DMSP Electron and Optical Data




### Appendix C: DMSP Electron and Optical Data



### Appendix C: DMSP Electron and Optical Data



Appendix C: DMSP Electron and Optical Data



## UAG Series of Reports

Between 6 and 12 UAG Reports are published at irregular intervals each year. Subscriptions may be ordered through the National Geophysical and Solar-Terrestrial Data Center, Environmental Data and Information Service, NOAA, Boulder, CO 80303, USA. The annual subscription price is \$25.20 (\$17.30 additional for foreign mailing). Each year the single copy prices total less than \$25.20, the expiration date for all subscriptions will be extended. Back issues may be purchased at the prices shown below plus a \$3.00 handling charge per order; some reports, though, are available only on microfiche. Orders must include check or money order payable in U.S. currency to the Department of Commerce, NOAA/NGSDC.

- UAG-1 "IQSY Night Airglow Data," by L.L. Smith, F.E. Roach, and J.M. McKennan, ESSA Aeronomy Laboratory, Boulder, CO, July 1968, 305 pp, \$1.75.
- UAG-2 "A Reevaluation of Solar Flares, 1964-1966," by Helen W. Dodson and E. Ruth Hedeman, McMath-Hulbert Observatory, University of Michigan, Pontiac, MI, August 1968, 28 pp, \$0.30.
- UAG-3 "Observations of Jupiter's Sporadic Radio Emission in the Range 7.6-41 MHz, 6 July 1966 through 8 September 1968," by James W. Warwick and George A. Dulk, University of Colorado, Boulder, CO, October 1968, 35 pp, \$0.55.
- UAG-4 "Abbreviated Calendar Record 1966-1967," by J. Virginia Lincoln, Hope I. Leighton and Dorothy K. Kropp, ESSA now NOAA, Aeronomy and Space Data Center, Boulder, CO, January 1969, 170 pp, \$1.25.
- UAG-5 "Data on Solar Event of May 23, 1967 and its Geophysical Effects," compiled by J. Virginia Lincoln, World Data Center A, Upper Atmosphere Geophysics, ESSA now NOAA, Boulder, CO, February 1969, 120 pp, \$0.65.
- UAG-6 "International Geophysical Calendars 1957-1969," by A.H. Shapley and J. Virginia Lincoln, ESSA Research Laboratories, now NOAA, Boulder, CO, March 1969, 25 pp, \$0.30.
- UAG-7 "Observations of the Solar Electron Corona: February 1964 - January 1968," by Richard T. Hansen, High Altitude Observatory, NCAR, Boulder, CO, and Kamuela, HI, October 1969, 12 pp, \$0.15.
- UAG-8 "Data on Solar-Geophysical Activity October 24 - November 6, 1968," Parts 1 and 2, compiled by J. Virginia Lincoln, World Data Center A, Upper Atmosphere Geophysics, ESSA now NOAA, Boulder, CO, March 1970, 312 pp, \$1.75 (includes Parts 1 and 2).
- UAG-9 "Data on Cosmic Ray Event of November 18, 1968 and Associated Phenomena," compiled by J. Virginia Lincoln, World Data Center A, Upper Atmosphere Geophysics, ESSA now NOAA, Boulder, CO, April 1970, 109 pp, \$0.55.
- UAG-10 "Atlas of Ionograms," edited by A.H. Shapley, ESSA Research Laboratories now NOAA, Boulder, CO, May 1970, 243 pp, \$1.50.
- UAG-12 "Solar-Geophysical Activity Associated with the Major Geomagnetic Storm of March 8, 1970," Parts 1, 2 and 3, compiled by J. Virginia Lincoln and Dale B. Bucknam, World Data Center A, Upper Atmosphere Geophysics, ESSA now NOAA, Boulder, CO, April 1971, 466 pp, \$3.00 (includes Parts 1-3).
- UAG-13 "Data on the Solar Proton Event of November 2, 1969 through the Geomagnetic Storm of November 8-10, 1969," compiled by Dale B. Bucknam and J. Virginia Lincoln, World Data Center A, Upper Atmosphere Geophysics, ESSA now NOAA, Boulder, CO, May 1971, 76 pp, \$0.90.
- UAG-14 "An Experimental, Comprehensive Flare Index and Its Derivation for 'Major' Flares, 1955-1969," by Helen W. Dodson and E. Ruth Hedeman, McMath-Hulbert Observatory, University of Michigan, Pontiac, MI, July 1971, 25 pp, \$0.30.
- UAG-16 "Temporal Development of the Geophysical Distribution of Auroral Absorption for 30 Substorm Events in each of IQSY (1964-65) and IASY (1960)," by F.T. Berkey, University of Alaska, Fairbanks, AK; V.M. Driatskiy, Arctic and Antarctic Research Institute, Leningrad, USSR; K. Henriksen, Auroral Observatory, Tromson, Norway; D.H. Jelly, Communications Research Center, Ottawa, Canada; T.I. Shchuka, Arctic and Antarctic Research Institute, Leningrad, USSR; A. Theander, Kiruna Geophysical Observatory, Kiruna, Sweden; and J. Yliniemi, University of Oulu, Oulu, Finland, September 1971, 131 pp, \$0.70 (microfiche only).
- UAG-17 "Ionospheric Drift Velocity Measurements at Jicamarca, Peru (July 1967 - March 1970)," by Ben B. Balsley, NOAA Aeronomy Laboratory, Boulder, CO, and Ronald F. Woodman, Jicamarca Radar Observatory, Instituto Geofisico del Peru, Lima, Peru, October 1971, 45 pp, \$0.55 (microfiche only).
- UAG-18 "A Study of Polar Cap and Auroral Zone Magnetic Variations," by K. Kawasaki and S.-I. Asasofu, University of Alaska, Fairbanks, AK, June 1972, 21 pp, \$0.20.
- UAG-19 "Reevaluation of Solar Flares 1967," by Helen W. Dodson and E. Ruth Hedeman, McMath-Hulbert Observatory, University of Michigan, Pontiac, MI, and Marta Rovira de Miceli, San Miguel Observatory, Argentina, June 1972, 15 pp, \$0.15.
- UAG-21 "Preliminary Compilation of Data for Retrospective World Interval July 26 - August 14, 1972," by J. Virginia Lincoln and Hope I. Leighton, World Data Center A for Solar-Terrestrial Physics, NOAA, Boulder, CO, November 1972, 128 pp, \$0.70.
- UAG-22 "Auroral Electrojet Magnetic Activity Indices (AE) for 1970," by Joe Haskell Allen, National Geophysical and Solar-Terrestrial Data Center, Boulder, CO, November 1972, 146 pp, \$0.75.
- UAG-23 "U.R.S.I. Handbook of Ionogram Interpretation and Reduction," Second Edition, November 1972, edited by W.R. Piggott, Radio and Space Research Station, Slough, UK, and K. Rawer, Arbeitsgruppe fur Physikalische Weltraumforschung, Freiburg, GFR, November 1972, 324 pp, \$1.75.
- UAG-23A "U.R.S.I. Handbook of Ionogram Interpretation and Reduction," Second Edition, Revision of Chapters 1-4, edited by W.R. Piggott, Radio and Space Research Station, Slough, UK, and K. Rawer, Arbeitsgruppe fur Physikalische Weltraumforschung, Freiburg, GFR, November 1972, 135 pp, \$2.14.
- UAG-24 "Data on Solar-Geophysical Activity Associated with the Major Ground Level Cosmic Ray Events of 24 January and 1 September 1971," Parts 1 and 2, compiled by Helen E. Coffey and J. Virginia Lincoln, World Data Center A for Solar-Terrestrial Physics, NOAA, Boulder, CO, December 1972, 462 pp, \$2.00 (includes Parts 1 and 2).
- UAG-25 "Observations of Jupiter's Sporadic Radio Emission in the Range 7.6-41 MHz, 9 September 1968 through 9 December 1971," by James W. Warwick, George A. Dulk and David G. Swann, University of Colorado, Boulder, CO, February 1973, 35 pp, \$0.35.

- UAG-26 "Data Compilation for the Magnetospherically Quiet Periods February 19-23 and November 29 - December 3, 1970," compiled by Helen E. Coffey and J. Virginia Lincoln, World Data Center A for Solar-Terrestrial Physics, NOAA, Boulder, CO, May 1973, 129 pp, \$0.70.
- UAG-27 "High Speed Streams in the Solar Wind," by D.S. Intriligator, University of Southern California, Los Angeles, CA, June 1973, 16 pp, \$0.15.
- UAG-28 "Collected Data Reports on August 1972 Solar-Terrestrial Events," Parts 1, 2 and 3, edited by Helen E. Coffey, World Data Center A for Solar-Terrestrial Physics, NOAA, Boulder, CO, July 1973, 932 pp, \$4.50.
- UAG-29 "Auroral Electrojet Magnetic Activity Indices AE(11) for 1968," by Joe Haskell Allen, Carl C. Abston and Leslie D. Morris, National Geophysical and Solar-Terrestrial Data Center, Boulder, CO, October 1973, 148 pp, \$0.75.
- UAG-30 "Catalogue of Data on Solar-Terrestrial Physics," prepared by NOAA Environmental Data Service, Boulder, CO, October 1973, \$1.50. Supersedes UAG-11, 15, and 20 catalogs.
- UAG-31 "Auroral Electrojet Magnetic Activity Indices AE(11) for 1969," by Joe Haskell Allen, Carl C. Abston and Leslie D. Morris, National Geophysical and Solar-Terrestrial Data Center, Boulder, CO, February 1974, 142 pp, \$0.75.
- UAG-32 "Synoptic Radio Maps of the Sun at 3.3 mm for the Years 1967-1969," by Earle B. Mayfield, Kennon P. White III, and Fred I. Shimabukuro, Aerospace Corp., El Segundo, CA, April 1974, 26 pp, \$0.35.
- UAG-33 "Auroral Electrojet Magnetic Activity Indices AE(10) for 1967," by Joe Haskell Allen, Carl C. Abston and Leslie D. Morris, National Geophysical and Solar-Terrestrial Data Center, Boulder, CO, May 1974, 142 pp, \$0.75.
- UAG-34 "Absorption Data for the IGY/IGC and IQSY," compiled and edited by A.H. Shapley, National Geophysical and Solar-Terrestrial Data Center, Boulder, CO; W.R. Piggott, Appleton Laboratory, Slough, UK; and K. Rawer, Arbeitsgruppe fur Physikalische Weltraumforschung, Freiburg, GFR, June 1974, 381 pp, \$2.00.
- UAG-35 "Catalogue of Digital Geomagnetic Variation Data at World Data Center A for Solar-Terrestrial Physics," prepared by NOAA Environmental Data Service, Boulder, CO, July 1974, 20 pp, \$0.20.
- UAG-36 "An Atlas of Extreme Ultraviolet Flashes of Solar Flares Observed via Sudden Frequency Deviations During the ATM-SKYLAB Missions," by R.F. Donnelly and E.L. Berger, NOAA Space Environment Laboratory; Lt. J.D. Busman, NOAA Commissioned Corps; B. Henson, NASA Marshall Space Flight Center; T.B. Jones, University of Leicester, UK; G.M. Lerfeld, NOAA Wave Propagation Laboratory; K. Najita, University of Hawaii; W.M. Retallack, NOAA Space Environment Laboratory and W.J. Wagner, Sacramento Peak Observatory, October 1974, 95 pp, \$0.55.
- UAG-37 "Auroral Electrojet Magnetic Activity Indices AE(10) for 1966," by Joe Haskell Allen, Carl C. Abston and Leslie D. Morris, National Geophysical and Solar-Terrestrial Data Center, Boulder, CO, December 1974, 142 pp, \$0.75.
- UAG-38 "Master Station List for Solar-Terrestrial Physics Data at WDC-A for Solar-Terrestrial Physics," by R.W. Buhmann, World Data Center A for Solar-Terrestrial Physics, Boulder, CO; Juan D. Roederer, University of Denver, Denver, CO; and M.A. Shea and D.F. Smart, Air Force Cambridge Research Laboratories, Hanscom AFB, MA, December 1974, 110 pp, \$1.60.
- UAG-39 "Auroral Electrojet Magnetic Activity Indices AE(11) for 1971," by Joe Haskell Allen, Carl W. Abston and Leslie D. Morris, National Geophysical and Solar-Terrestrial Data Center, Boulder, CO, February 1975, 144 pp, \$2.05.
- UAG-40 "H-Alpha Synoptic Charts of Solar Activity for the Period of Skylab Observations, May 1973 - March 1974," by Patrick S. McIntosh, NOAA Space Environment Laboratory, Boulder, CO, February 1975, 32 pp, \$0.56.
- UAG-41 "H-Alpha Synoptic Charts of Solar Activity During the First Year of Solar Cycle 20 October 1964 - August 1965," by Patrick S. McIntosh, NOAA Space Environment Laboratory, Boulder, CO and Jerome T. Nolte, American Science and Engineering, Inc., Cambridge, MA, March 1975, 25 pp, \$0.48.
- UAG-42 "Observations of Jupiter's Sporadic Radio Emission in the Range 7.6-80 MHz, 10 December 1971 through 21 March 1975," by James W. Warwick, George A. Dulk and Anthony C. Riddle, University of Colorado, Boulder, CO, April 1975, 49 pp, \$1.15.
- UAG-43 "Catalog of Observation Times of Ground-Based Skylab-Coordinated Solar Observing Programs," compiled by Helen E. Coffey, World Data Center A for Solar-Terrestrial Physics, NOAA, Boulder, CO, May 1975, 159 pp, \$3.00.
- UAG-44 "Synoptic Maps of Solar 9.1 cm Microwave Emission from June 1962 to August 1973," by Werner Graf and Ronald N. Bracewell, Stanford University, Stanford, CA, May 1975, 183 pp, \$2.55.
- UAG-45 "Auroral Electrojet Magnetic Activity Indices AE(11) for 1972," by Joe Haskell Allen, Carl C. Abston and Leslie D. Morris, National Geophysical and Solar-Terrestrial Data Center, Boulder, CO, May 1975, 144 pp, \$2.10 (microfiche only).
- UAG-46 "Interplanetary Magnetic Field Data 1963-1964," by Joseph H. King, National Space Science Data Center, NASA Goddard Space Flight Center, Greenbelt, MD, June 1975, 382 pp, \$1.95.
- UAG-47 "Auroral Electrojet Magnetic Activity Indices AE(11) for 1973," by Joe Haskell Allen, Carl C. Abston and Leslie D. Morris, National Geophysical and Solar-Terrestrial Data Center, Boulder, CO, June 1975, 144 pp, \$2.10 (microfiche only).
- UAG-48A "Synoptic Observations of the Solar Corona during Carrington Rotations 1580-1596 (11 October 1971 - 15 January 1973)," [Reissue of UAG-48 with quality images], by R.A. Howard, M.J. Koomen, D.J. Michels, R. Tousey, C.R. Detwiler, D.E. Roberts, R.T. Seal, and J.D. Whitney, U.S. Naval Research Laboratory, Washington, DC, and R.T. Hansen and S.F. Hansen, C.J. Garcia and E. Yasukawa, High Altitude Observatory, NCAR, Boulder, CO, February 1976, 200 pp, \$4.27.
- UAG-49 "Catalog of Standard Geomagnetic Variation Data," prepared by NOAA Environmental Data Service, Boulder, CO, August 1975, 125 pp, \$1.85.
- UAG-50 "High-Latitude Supplement to the URSI Handbook on Ionogram Interpretation and Reduction," edited by W.R. Piggott, British Antarctic Survey, c/o Appleton Laboratory, Slough, UK, October 1975, 294 pp, \$4.00.
- UAG-51 "Synoptic Maps of Solar Coronal Hole Boundaries Derived from He II 304A Spectroheliograms from the Manned Skylab Missions," by J.D. Bohlin and D.M. Rubenstein, U.S. Naval Research Laboratory, Washington, DC, November 1975, 30 pp, \$0.54.

- UAG-52 "Experimental Comprehensive Solar Flare Indices for Certain Flares, 1970-1974," by Helen W. Dodson and E. Ruth Hedeman, McMath-Hulbert Observatory, University of Michigan Pontiac, MI, November 1975, 27 pp, \$0.60.
- UAG-53 "Description and Catalog of Ionospheric F-Region Data, Jicamarca Radio Observatory (November 1966 - April 1969), by W.L. Clark and T.E. Van Zandt, NOAA Aeronomy Laboratory, Boulder, CO, and J.P. McClure, University of Texas as Dallas, Dallas, TX, April 1976, 10 pp, \$0.33.
- UAG-54 "Catalog of Ionosphere Vertical Soundings Data," prepared by NOAA Environmental Data Service, Boulder, CO, April 1976, 130 pp, \$2.10.
- UAG-55 "Equivalent Ionospheric Current Representations by a New Method, Illustrated for 8-9 November 1969 Magnetic Disturbances," by Y. Kamide, Cooperative Institute for Research in Environmental Sciences, University of Colorado, Boulder, CO; H.W. Kroehl, Data Studies Division, National Geophysical and Solar-Terrestrial Data Center, Boulder, CO; M. Kanamitsu, Advanced Study Program, National Center for Atmospheric Research, Boulder, CO; Joe Haskell Allen, Data Studies Division, National Geophysical and Solar-Terrestrial Data Center, Boulder, CO; and S.-I Akasofu, Geophysical Institute, University of Alaska, Fairbanks, AK, April 1976, 91 pp, \$1.60 (microfiche only).
- UAG-56 "Iso-intensity Contours of Ground Magnetic H Perturbations for the December 16-18, 1971, Geomagnetic Storm," Y. Kamide, Cooperative Institute for Research in Environmental Sciences, University of Colorado, Boulder, CO, April 1976, 37 pp, \$1.39.
- UAG-57 "Manual on Ionospheric Absorption Measurements," edited by K. Rawer, Institut fur Physikalische Weltraumforschung, Freiburg, GFR, June 1976, 302 pp, \$4.27.
- UAG-58 "ATS6 Radio Beacon Electron Content Measurements at Boulder, July 1974 - May 1975," by R.B. Fritz, NOAA Space Environment Laboratory, Boulder, CO, September 1976, 61 pp, \$1.04.
- UAG-59 "Auroral Electrojet Magnetic Activity Indices AE(11) for 1974," by Joe Haskell Allen, Carl C. Abston and Leslie D. Morris, National Geophysical and Solar-Terrestrial Data Center, Boulder, CO, December 1976, 144 pp, \$2.16.
- UAG-60 "Geomagnetic Data for January 1976 (AE(7) Indices and Stacked Magnetograms)," by Joe Haskell Allen, Carl C. Abston and Leslie D. Morris, National Geophysical and Solar-Terrestrial Data Center, Boulder, CO, July 1977, 57 pp, \$1.07.
- UAG-61 "Collected Data Reports for STIP Interval II 20 March - 5 May 1976, edited by Helen E. Coffey and John A. McKinnon, World Data Center A for Solar-Terrestrial Physics, Boulder, CO, August 1977, 313 pp, \$2.95.
- UAG-62 "Geomagnetic Data for February 1976 (AE(7) Indices and Stacked Magnetograms)," by Joe Haskell Allen, Carl C. Abston and Leslie D. Morris, National Geophysical and Solar-Terrestrial Data Center, Boulder, CO, September 1977, 55 pp, \$1.11.
- UAG-63 "Geomagnetic Data for March 1976 (AE(7) Indices and Stacked Magnetograms)," by Joe Haskell Allen, Carl C. Abston and Leslie D. Morris, National Geophysical and Solar-Terrestrial Data Center, Boulder, CO, September 1977, 57 pp, \$1.11.
- UAG-64 "Geomagnetic Data for April 1976 (AE(8) Indices and Stacked Magnetograms)," by Joe Haskell Allen, Carl C. Abston and Leslie D. Morris, National Geophysical and Solar-Terrestrial Data Center, Boulder, CO, February 1978, 55 pp, \$1.00.
- UAG-65 "The Information Explosion and Its Consequences for Data Acquisition, Documentation, Processing," by G.K. Hartmann, Max-Planck-Institut fur Aeronomie, Lindau, GFR, May 1978, 36 pp, \$0.75.
- UAG-66 "Synoptic Radio Maps of the Sun at 3.3 mm 1970-1973," by Earle B. Mayfield and Fred I. Shimabukuro, Aerospace Corp., El Segundo, CA, May 1978, 30 pp, \$0.75.
- UAG-67 "Ionospheric D-Region Profile Data Base, A Collection of Computer-Accessible Experimental Profiles of the D and Lower E Regions," by L.F. McNamara, Ionospheric Prediction Service, Sydney, Australia, August 1978, 30 pp, \$0.88 (microfiche only).
- UAG-68 "A Comparative Study of Methods of Electron Density Profile Analysis," by L.F. McNamara, Ionospheric Prediction Service, Sydney, Australia, August 1978, 30 pp, \$0.88 (microfiche only).
- UAG-69 "Selected Disturbed D-Region Electron Density Profiles. Their relation to the undisturbed D region," by L.F. McNamara, Ionospheric Prediction Service, Sydney, Australia, October 1978, 50 pp, \$1.29 (microfiche only).
- UAG-70 "Annotated Atlas of the H-alpha Synoptic Charts for Solar Cycle 20 (1964-1974) Carrington Solar Rotations 1487-1616," by Patrick S. McIntosh, NOAA Space Environment Laboratory, Boulder, CO, February 1979, 327 pp, \$3.50.
- UAG-71 "Magnetic Potential Plots over the Northern Hemisphere for 26-28 March 1976," A.D. Richmond, NOAA Space Environment Laboratory, Boulder, CO; H.W. Kroehl, National Geophysical and Solar-Terrestrial Data Center, Boulder, CO; M.A. Henning, Lockheed Missiles and Space Co., Aurora, CO; and Y. Kamide, Kyoto Sangyo University, Kyoto, Japan, April 1979, 118 pp, \$1.50.
- UAG-72 "Energy Release in Solar Flares, Proceedings of the Workshop on Energy Release in Flares, 26 February - 1 March 1979, Cambridge, Massachusetts, U.S.A.," edited by David M. Rust, American Science and Engineering, Inc., Cambridge, MA, and A. Gordon Emslie, Harvard-Smithsonian Center for Astrophysics, Cambridge, MA, July 1979, 68 pp, \$1.50.
- UAG-73 "Auroral Electrojet Magnetic Activity Indices AE(11-12) for January - June 1975," by J.H. Allen, C.C. Abston, J.E. Salazar and J.A. McKinnon, National Geophysical and Solar-Terrestrial Data Center, NOAA, Boulder, CO, August 1979, 114 pp, \$1.75.
- UAG-74 "ATS-6 Radio Beacon Electron Content Measurements at Ootacamund, India, October - July 1976," by S.D. Bouwer, K. Davies, R.F. Donnelly, R.N. Grubb, J.E. Jones and J.H. Taylor, NOAA Space Environment Laboratory, Boulder, CO, and R.G. Rastogi, M.R. Deshpande, H. Chandra and G. Sethia, Physical Research Laboratory, Ahmedabad, India, March 1980, 58 pp, \$2.50.
- UAG-75 "The Alaska IMS Meridian Chain: Magnetic Variations for 9 March - 27 April 1978," by H.W. Kroehl and G.P. Kosinski, National Geophysical and Solar-Terrestrial Data Center, Boulder, CO; S.-I Akasofu, G.J. Romick, C.E. Campbell and G.K. Corrck, University of Alaska, Fairbanks, AK; and C.E. Hornback and A.M. Gray, NOAA Space Environment Laboratory, Boulder, CO, June 1980, 107 pp, \$3.00.

UAG-76 "Auroral Electrojet Magnetic Activity Indices AE(12) for July-December 1975," by J.H. Allen, C.C. Abston, J.E. Salazar, and J.A. McKinnon, National Geophysical and Solar-Terrestrial Data Center, NOAA, Boulder, CO, August 1980, 120 pp, \$2.50.

UAG-77 "Synoptic Solar Magnetic Field Maps for the Interval including Carrington Rotations 1601-1680, May 5, 1973 - April 26, 1979," by J. Harvey, B. Gillespie, P. Miedaner, and C. Slaughter, Kitt Peak National Observatory, Tucson, AZ, August 1980, 70 pp, \$2.50.